

GJ4050 (ID 50mm, 4 ports in, 4 ports out)

GJ4050 is 2 passages through bore rotary union with bore size 50mm, supporting connection size G1/8 and G3/8, It can transfer media as compressed air, vacuum, hydrogen, nitrogen, steam, cooling water, hot water, oil and so on.



GJ4050

Part# Explanation

GJ4050 - 02


GJ: Through bore rotary union

4 : 4 ports in, 4 ports out


050 : ID 50mm

02 : Port size;
02=G1/8", 04=G3/8"

GJ4050-02 Size 4 ports in, 4 ports out, G1/8 Port



GJ4050-04 Size 4 ports in, 4 ports out, G3/8 Port



GJ Series Through Bore Rotary Union

Part# List

GJ4050 Parts# List				
Part#	Passage	Torque(N.M)	Connection Size	ID
GJ4050-02	4 ports in, 4 ports out	3	G1/8	50mm
GJ4050-04	4 ports in, 4 ports out	3	G3/8	50mm

Specifications

Rotary joint specifications	
Parameter	Value
Passages	4 ports in, 4 ports out,
Max pressure	1MPa (can be customized), Vacuum -80KPa
Torque	See Part# List

Options for custom slip ring

Note: it can be customized as below requirements, lead time would increase 3~15 days, price would increase 5%~50%. Most basic parts of slip ring are standard and modularized, which saved costs and lead time.

1 Port size

2 Pressure

3 Rotating speed

technical support: technical@moflon.com

4 Through bore size

5 Corrosive media, all stainless steel, anti-explosion, high temp etc

6 Can combine with electrical slip ring